


HIGH SPEED DOORS GUIDE DETAILS

FEATURES

GUIDE TYPE FOR MODEL 990


- High strength, impact-resistant steel construction
- Hinged guide
- Full length weather seals
- Standard powder coat color: Safety Yellow



FEATURES

GUIDE TYPE FOR MODEL 991

- High strength, impact-resistant steel construction
- Hinged guide
- Full length UHMW wear strips
- Full length weather seals
- Standard powder coat color: Safety Yellow




INDUSTRY LEADING
COMMERCIAL & INDUSTRIAL SOLUTIONS

FEATURES

GUIDE TYPE FOR MODEL 992


- High strength, impact-resistant steel construction
- Hinged guide
- Full length UHMW wear strips
- Full length weather seals
- Standard powder coat color: Safety Yellow



FEATURES

GUIDE TYPE FOR MODEL 993


- High strength, impact-resistant steel construction
- Hinged guide
- Full length UHMW wear strips
- Full length weather seals
- Full length wind bar
- Bottom wind stop plate
- Standard powder coat color: Safety Yellow



FEATURES

GUIDE TYPE FOR MODEL 994


- Heavy duty 0.188" thick impact resistant steel construction
- Hinged guide
- Full length UHMW wear strips
- Full length weather seals
- Full length wind bar
- Bottom wind stop plate
- Standard powder coat color: Safety Yellow



FEATURES

GUIDE TYPE FOR MODEL 995


- Heavy duty 6"x6"x3/8" wall and front angles, constructed of high strength, impact-resistant steel construction
- Flexible breakaway middle angle
- Obstruction detection (photo eye) shield
- Standard powder coat color: Safety Yellow



FEATURES

GUIDE TYPE FOR MODEL 997


- Heavy duty steel guide for mounting with fiberglass to ensure a thermal barrier in the opening
- Patent-pending recirculating guide heating system
- Integrated photo eyes
- Quad brush seals
- Designed to allow curtain breakaway in both directions
- Standard powder coat color: Safety Yellow



FEATURES

GUIDE TYPE FOR MODEL 998/999

- Heavy duty 0.188" thick impact-resistant steel construction
- Structural steel roller track within steel exterior
- Integrated safety light curtain hinged guide
- Full-length weather seals
- Bottom wind stop plate
- Standard powder coat color: Silver



INDUSTRY LEADING
COMMERCIAL & INDUSTRIAL SOLUTIONS

2501 S. State Hwy. 121 Bus., Suite 200, Lewisville, TX 75067
1-800-929-DOOR • sales@overheaddoor.com
overheaddoor.com

